

No.F.64-2005/Security-NM(D)/Faulty Security Gadgets
Government of India
Ministry of Culture
National Museum
Janpath, New Delhi-110011

2-3 OCT 2016
E-3 OCT 2016
October 3, 2016

Sub: Calling quotation for procurement of SITC of CCTV Cables/Conduits and 42"LED TV in the National Museum – regarding

Sir,

National Museum, Janpath, invites sealed quotations from well established / registered firms / agency for SITC of CCTV Cables/Conduits and 42"LED TV in the National Museum. Sealed quotations may be submitted in sealed envelopes, super scribed as "SITC of CCTV Cable / Conduits and 42" LED TV" addressed to the Administrative Officer, National Museum, Janpath, New Delhi so as to reach the undersigned by 02.00 p.m. on or before **26th October 2016**. Quotations will be opened on the same day i.e. **26th October 02.30 p.m.** by the Local Purchase Committee, National Museum in the presence of the tenders or their representatives who may like to be present. Quantity and specification of the items required are mentioned in Annexure – A.


ELIGIBILITY CRITERIA AND TERMS AND CONDITIONS

1. The invitation is open to all registered/well-established genuine firms/agency who are having PAN/TAN/VAT/TIN registration in their name.
2. 'QUOTATION' should be written in block letters on the top of the envelope. Last date of submission of the quotation and office reference no may also be mentioned on the envelope.
3. The proprietor or his agent shall be available on his telephone (Office as well as residence) and also on mobile phone so as to enable this office to call him in emergency cases.
4. The Tenderer must have an experience of at least 05 years in the field of CCTV and experience for doing the installations works of CCTV in the field of Museums and

other sensitive building of Government of India. This must be supported with documentary proof without which the bid will be rejected summarily.

5. Firm/Agency who participating in this tender may be submitted the sample of LED fixture, which is require to fixed with the existing track.
6. The contractor/firms will also be responsible for doing the works in the National Museum on very high standard, if the works is not found as per appropriate quality by the National Museum so all the risk is bear by the firm/agency.
7. In case the rates are found to be more than prevailing market rates at any stage, the payment will be restricted to that rate/price and the firm/agency will not have any right to challenge this. No representation will be entertained in this regard.
8. PLEASE SUBMIT EMD (EARNEST MONEY DEPOSIT) FOR AN AMOUNT OF RS.20,000.00 (RUPEES TWENTY THOSUAND ONLY) IN THE FORM OF DEMAND DRAFT IN FAVOUR OF D.D.O., NATIONAL MUSEUM, NEW DLEHI. QUOTATIONS WITHOUT EMD SHALL BE LIABLE FOR REJECTION.
9. In case the supplier is not able to supply goods for which supply order has been placed within the stipulated period of time, the supply order shall be cancelled and earnest money deposit would be forfeited.
10. Dispute, if any, arising between the successful firm/agency and the National Museum shall be resolved amicably, failing which it shall be referred to an Arbitrator, mutually acceptable to both parties, appointed by the Director General/Administrator, National Museum as per the Arbitration and Conciliation Act 1996. Alternatively, this shall be subjected to the exclusive jurisdiction of court at Delhi.
11. Firm/Agency is free to visit the Painting Gallery in the National Museum for seen the existing track before quoting their rates in this tender.

12. Director General/Administrator, National Museum reserves the right to accept or reject all the tenders in part or full or divides the work among two or more parties without assigning any reason whatsoever and in such case bidder/intending bidders, shall not have any claim on office of Director General, National Museum, New Delhi.


(Raveen Singh Parihar)
Administrative Officer


Copy to: -

1. Website, National Museum
2. Notice Board
3. CPP Portal

ANNEXURE –A

Sl.NO	Item Description	Qty.	Unit Price	Total Price
01.	RG-59 Coaxial Cable Center Conductor : Solid Bare Copper Nom, Dia (mm): 1.02 Dielectric Nom. Dia (mm): Foam PE 4.57 Outer conductor 1 st Shield : Bonded Al Tape 2 nd Shield : Al-Alloy braiding Min. Coverage %: 60 Jacket Nom. Dia (mm): PVC Black 7.25 mm or less Bending Radius (mm): 65 minimum	3500 mtr (Approx)		
02.	3 Core Power Cable Conductor: 1.5 sq.mm Nos of Core: 3 Core Insulation Thickness: 0.6 mm Sheath Thickness: 0.9 mm Overall dia. Nominal: 8 mm Conductor Resistance at 20 deg C/per km: 13.3 Ohm Current Carrying Capacity: 15 Amp max ISI Standard: ISI - 694	1000 mtr. (approx)		
03.	2 Core Twisted Pair Cable Conductor: 1.5 sq.mm Nos of Core: 2 Core Insulation Thickness: 0.7mm Sheath Thickness: 0.9 mm Conductor Resistance at 20 deg C/per km: 13.3 Ohm Current Carrying Capacity: Min 20 Amp ISI Standard: ISI - 694	250 Mtr(approx)		
04.	32 mm PVC Conduit HMS (Heavy Mechanical Strength) ISI Mark or equivalent Standard code: IS 9537-3	650 Mtr. (approx)		
05.	32 mm PVC Flexible Conduit Should be smooth inside for cable/wire pulling ISI mark or equivalent	100 Mtr. (approx)		
06.	25 mm PVC Flexible Conduits Should be smooth inside for cable/wire pulling ISI mark or equivalent	600 mtr. (approx)		
07.	BNC Connector	140 Nos.(Approx)		
08.	Mount for Cameras	34 Nos (approx)		

09.	Power Extension Board Nos of Socket: Minimum 6 Current Capacity: 6Amp Protection: Fuse and Surge	04 Nos.		
10.	42" LED TV (Samsung/LG): Brightness: 300nit, Low Screen Temperature Portrait/Landscape Orientation Direct-LED Display Embedded Media Player Energy Star 6.0 Compliant Wide Viewing Angle Full HD (1920X1080)	01 No.		
11.	Installation/Testing/Commissioning charge, if any			


 (Parveen Singh Parihar)
 Administrative Officer